

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	2	(address same (moved moving move roam migrat\$5)) and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 14:31
S83	587	(address same (moved moving move roam migrat\$5) same (home adj agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 14:44
S84	27	S83 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 14:57
S85	751	((moved moving move roam migrat\$5) same (home adj agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 14:58
S86	38	S85 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:02
S89	891	((home adj agent) same (message packe udp))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:01
S90	1603	((home adj agent) same (message packet datagram broadcast\$4 advertis\$9 udp))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:01
S91	618	((home adj agent) same (message packet datagram broadcast\$4 advertis\$9 udp)) same (stor\$4 configur\$5 load\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:02
S92	18	S91 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:40
S93	3	((home adj agent) or address) and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:40

EAST Search History

S94	1376	((home adj agent) or address) same icmp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:40
S95	54	(home adj agent) same address same icmp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:41
S96	8	S95 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:42
S97	1357	address same icmp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:42
S98	191	S97 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:42
S99	20	home with address with icmp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:42
S10 0	1	S99 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/15 15:46
S10 1	0	("addressand5572528.pn.").PN.	US-PGPUB; USPAT;	OR	OFF	2006/02/15 15:47
S10 2	2	address and "5572528".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 06:30
S10 3	2	((home adj router) address) and "5572528".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:02
S10 4	145	prieto.xa. or prieto.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:40

EAST Search History

S10 5	21	conference and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 06:45
S10 6	37	((subnet\$5 sub-net\$5 interface socket port) adj (identifier address)) adj20 ((mobile wireless portable) adj (host terminal user device computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:10
S10 7	5	S106 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:40
S10 8	12	((subnet\$5 sub-net\$5 interface socket port) adj (ID identifier address)) WITH ((mobile wireless portable) adj (equipment host terminal user device computer)) with (moving moves roam\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:39
S10 9	12	((subnet\$5 sub-net\$5 interface socket port) adj (ID identifier address)) WITH ((mobile wireless portable) adj (equipment host terminal user device computer)) with (moving moves roam\$5 relocat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:44
S11 0	4	S109 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:47
S11 1	3	((logical\$2 virtual\$2) adj (ID identifier address)) WITH ((mobile wireless portable) adj (equipment host terminal user device computer)) with (moving moves roam\$5 relocat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 09:12
S11 2	43	((interface socket port logical\$2 virtual\$2) adj2 (ID identifier address)) same ((mobile wireless portable radio) adj (equipment host terminal user device computer)) same (moving moves moved roam\$5 relocat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:53
S11 3	16	S112 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 07:53
S11 4	397	((interface socket port logical\$2 virtual\$2) adj2 (ID identifier address)) same ((mobile wireless portable radio) adj (equipment host terminal user device computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:43
S11 5	94	S114 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 10:31

EAST Search History

S11 6	89	(((((network hardware physical) adj interface) socket port logical\$2 virtual\$2) adj2 (ID identifier address number)) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 08:51
S11 7	70	((("20010006517") or ("6791952") or ("6507589") or ("6473411") or ("6463307") or ("6442616") or ("6407988") or ("6359896") or ("6341320") or ("6335921") or ("6295456") or ("6288790") or ("6285911") or ("6285684") or ("6243727") or ("6240089") or ("6240078") or ("6201962") or ("6201811") or ("6195545") or ("6181683") or ("6167411") or ("6154461") or ("6141690") or ("6128483") or ("6122268") or ("6094424") or ("6091951") or ("6052735") or ("6029215") or ("5943692") or ("5941956") or ("5907542") or ("5881300") or ("5875185") or ("5864762") or ("5862345") or ("5860136") or ("5842224") or ("5826019") or ("5822309") or ("5802469") or ("5787077") or ("5761460") or ("5734982") or ("5699388") or ("5633868") or ("5627974") or ("5623495") or ("5590126") or ("5590125") or ("5574788") or ("5572528") or ("5539744") or ("5537531") or ("5528583") or ("5490258") or ("5490139") or ("5487065") or ("5483670") or ("5442542") or ("5359603") or ("5274837") or ("5125102") or ("5095480") or ("5020129") or ("4987745") or ("4939746") or ("4905302") or ("4792948") or ("5487065"))). PN.	US-PGPUB; USPAT	OR	OFF	2006/02/16 08:51
S11 8	66	(((((network hardware physical) adj interface) socket port logical\$2 virtual\$2) adj2 (ID identifier address number)) and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 09:11
S12 0	10	(((((network hardware physical) adj interface) socket port logical\$2 virtual\$2) adj2 (ID identifier address number)) and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 09:11
S12 1	8	S120 and ((equipment host terminal user device computer) with (moving moves roam\$5 relocat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:02
S12 2	9	S120 and ((moving moves roam\$5 relocat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 09:18
S12 3	10	S120 and ((moving moves roam\$5 relocat\$6) or (switch\$2 router\$2 gateway\$2 bridge\$2 hub\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 10:30

EAST Search History

S12 4	60	(multihomesh3 multi-homesh4) same (mapsh4 table) same (port socket interface address)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 10:57
S12 5	10	S124 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:04
S12 7	2	(advertishesh8 adj20 (mapsh4 table) adj20 (port socket interface address) adj20 (subnetsh6 sub-netsh6 segments networks domain))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 10:59
S12 8	2	(advertishesh8 adj20 (mapsh4 table) adj20 (port socket interface address) adj20 (subnetsh6 sub-netsh6 segments networks domain))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:00
S12 9	14	(broadcastsh8 adj20 (mapsh4 table) adj20 (port socket interface address) adj20 (subnetsh6 sub-netsh6 segments networks domain))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:02
S13 0	4	S129 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:01
S13 1	2174	((advertishesh6 broadcastsh8) adj2 (port socket interface datalink (data adj link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:03
S13 2	108	(router switch gateway) adj5 S131	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:04
S13 3	22	S132 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:24
S13 4	1	(multiple adj IP ADJ ADDRESS) ADJ10 (INTERFACES PORTS) ADJ10 (ROUTER SWITCH GATEWAY)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:24
S13 5	1	(multiple adj IP adj ADDRESS) ADJ10 (INTERFACES PORTS) ADJ10 (ROUTER SWITCH GATEWAY)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:24

EAST Search History

S13 6	12	(multiple adj IP adj ADDRESS) ADJ10 (ROUTER SWITCH GATEWAY)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:24
S13 7	0	S136 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:25
S13 8	14	(plurality adj IP adj ADDRESS) ADJ10 (ROUTER SWITCH GATEWAY)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:26
S13 9	2	S138 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 09:54
S14 0	278	(plurality adj2 ADDRESS) ADJ10 (ROUTER SWITCH GATEWAY)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:53
S14 1	137	S140 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:54
S14 2	22	(multiple plurality) adj (ip adj ADDRESSes) ADJ5 (ROUTER SWITCH GATEWAY bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:56
S14 3	3	S142 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 11:56
S14 4	4540	(ip adj ADDRESSes) ADJ5 (ROUTER SWITCH GATEWAY bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 12:11
S14 5	519	S144 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 15:27
S14 6	1372	(ip adj ADDRESSes) ADJ (ROUTER SWITCH GATEWAY bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/16 12:11

EAST Search History

S14 7	176	S146 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 09:53
----------	-----	--------------------------	----------------------------------------------------------	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp °
S157	70	(switch router bridge gateway) adj2 (advertis\$8 broadcast\$6) adj2 ((subnet\$4 adj address) interface port socket (link adj layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:36
S158	14	S157 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:38
S159	17	(switch router bridge gateway) adj2 ((subnet\$4 adj address) interface port socket (link adj layer)) adj2 ((mobile wireless) adj (host terminal computer equipment unit device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:39
S160	1	S159 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:39
S161	88	(switch router bridge gateway) adj2 ((subnet\$4 adj address) interface port socket (link adj layer)) adj20 ((mobile wireless) adj (host terminal computer equipment unit device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:42
S162	7	S161 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:43
S163	574	(switch router bridge gateway) adj2 ((subnet\$4 adj address) interface port socket (link adj layer)) adj20 (mobile wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:00
S164	78	S163 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:43
S165	59	broadcast\$4 same (control adj channel) same list\$4 same (moved move moving roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:27
S166	20	S165 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 09:59

EAST Search History

S17 0	2	broadcast\$4 same (control adj channel) same list\$4 same (moved move moving roam\$4) same (node provider server host)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 11:56
S17 1	720	(gateway bgp (border adj router)) same (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address)) same (mobility handoff roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:15
S17 2	112	S171 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:01
S17 3	34	(bridge hub gateway bgp (border adj router)) adj20 (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address)) adj20 (mobility handoff roam\$4 reconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:02
S17 4	2	S173 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:03
S17 5	35	(bridge hub gateway bgp (border adj router)) adj50 (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address)) adj50 (mobility handoff roam\$4 reconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:03
S17 6	3	S175 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:16
S17 8	565	list\$4 same (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address)) same (mobility handover handoff roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:18
S17 9	126	S178 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:18
S18 0	266	list\$4 same (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address)) same (access\$4 contact\$4 reach\$4) same (mobility handover handoff roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:33
S18 1	36	S180 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:34

EAST Search History

S18 2	126	((multiple plurality) adj2 (ports interface ((link logical\$2 virtual\$2 subnet\$4) adj2 address))) same (coupl\$4 connect\$4 access\$4 contact\$4 reach\$4) same (mobility handover handoff roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 12:56
S18 3	23	S182 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:00
S18 6	69433	((multiple plurality) adj2 (ports interface socket)) or ((link logical\$2 virtual\$2 subnet\$4) adj2 address) adj20 (mobility handover handoff roam\$4) adj20 (mobile wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:00
S18 8	9	((multiple plurality) adj2 (ports interface socket)) adj20 (mobility handover handoff roam\$4) adj20 (mobile wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:00
S18 9	0	S188 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:01
S19 0	43	((multiple plurality) adj2 (ports interfaces sockets)) adj20 (mobility handover handoff roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:04
S19 1	11	S190 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:07
S19 2	69426	((multiple plurality) adj2 (ports interfaces sockets))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:36
S19 5	28	(455/432.1).ccls. and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:07
S19 6	8	S195 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:26
S19 7	7	((multiple plurality) adj2 (ports interfaces sockets)) adj20 gateway adj10 service	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:43

EAST Search History

S19 8	1	S197 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:36
S19 9	25	(subnet\$4 adj address) adj10 gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:36
S20 0	8	S199 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:46
S20 1	0	((multiple plurality) adj2 (ports interfaces sockets) adj2 address) adj10 (router hub switch gateway) adj10 roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:45
S20 2	0	((multiple plurality) adj2 (ports interfaces sockets) adj2 address) with (router hub switch gateway) with roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:45
S20 3	0	((multiple plurality) adj2 (ports interfaces sockets) adj2 address) same (router hub switch gateway) same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:45
S20 4	16	((ports interfaces sockets) adj2 address) same (router hub switch gateway) same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:46
S20 5	0	S204 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:46
S20 6	31	((ports interfaces sockets) adj2 address) same (router hub switch gateway) same (mobile adj (host terminal unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:47
S20 7	0	S206 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:47
S20 8	1431	((ports interfaces sockets)) same (router hub switch gateway) same (mobile adj (host terminal unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:47

EAST Search History

S209	328	S208 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 13:48
S210	317	S208 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:22
S211	1	(multihomed multi-homed) same beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:07
S212	23	(multihomed multi-homed) same gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:41
S213	4	(rip same roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:22
S214	21	(rip and roam\$4 and (ip adj mobility))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:30
S215	2	S214 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:30
S216	16	(rip and (ip adj mobility)).detd.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:31
S217	1	S216 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:31
S218	45	(rip same mobility).detd.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:31
S219	14	S218 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:42
S220	3897	place adj holder	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:33

EAST Search History

S22 1	200	"709"/\$.ccls. and S220	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:33
S22 2	0	(multihomed multi-homed) same (gateway router switch server) same (virtual\$2 logical\$4 adj (name identifier)) same mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:42
S22 3	1703	(virtual\$2 logical\$4 adj (name identifier)) same mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:43
S22 4	557	S223 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:43
S22 5	84	(virtual\$2 logical\$4 adj (name identifier)) same mobility same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:43
S22 6	32	S225 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:45
S22 7	8	((virtual\$2 logical\$4) adj (name identifier)) same mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:45
S22 8	41	((virtual\$2 logical\$4) adj2 (name identifier)) same mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:45
S22 9	14	S228 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 14:52
S23 0	0	(neighbor\$3 adj2 virtual adj2 (path circuit)) same (roam\$4 mobility)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:50
S23 1	0	(neighbor\$3 adj2 (virtual\$2 logical\$2) with (map\$4 table list\$2)) same (roam\$4 mobility)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:51
S23 2	0	(neighbor\$3 with (virtual\$2 logical\$2) with (map\$4 table list\$2)) same (roam\$4 mobility)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 14:51

EAST Search History

S23 3	145	(neighbor\$3 with (map\$4 table list\$2)) same (roam\$4 mobility)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 15:04
S23 4	33	S233 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 15:04
S23 5	633	default adj route	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 15:04
S23 6	95	S235 and @ad<="19981009"	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/18 15:04
S23 7	0	S234 and S236	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/18 15:04
S23 8	4	S236 and (roam\$4 mobility)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 08:23
S23 9	3383	((virtual logical host) adj names) or alias with server	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 08:42
S24 0	14600	(move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 09:34
S24 1	29	(S239 and S240) and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 09:35
S24 2	12587	((virtual logical host) adj names) or alias or ((interface port socket) adj (address id identifier number))) with (gateway router switch hub host)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 09:32
S24 3	4379	((virtual logical host) adj (address names identifier)) or alias or ((interface port socket) adj (address id identifier number))) with (server gateway router switch hub host) with (list listing listed map mapper mapping mapped table binding)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 09:34

EAST Search History

S24 4	64316	(move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment area cell lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 10:53
S24 5	92	(S243 and S244) and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 09:35
S24 6	848	(move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (neighbor adjacent) adj2 (network domain subnet\$4 segment area cell lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:29
S24 7	4379	((virtual logical host) adj (address names identifier)) or alias or ((interface port socket) adj (address id identifier number))) with (server gateway router switch hub host) with (list listing listed map mapper mapping mapped table binding)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 13:12
S24 8	0	(S246 and S247) and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 10:57
S24 9	64316	(move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment area cell lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 10:57
S25 0	92	(S249 and S247) and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:14
S25 1	145	((virtual logical host) adj (address names identifier)) or alias or ((interface port socket) adj (address id identifier number))) with (server gateway router switch hub host) with advertis\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:14
S25 2	16	S251 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:44
S25 5	25595	((move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment area cell lan domain) and (port interface adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 12:03
S25 6	3	S252 and S255	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:33

EAST Search History

S25 7	743311	((move moving moved roam\$4 migrat\$4 reconnect\$4) and (port interface adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:37
S25 8	8	S252 and S257	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:44
S25 9	867359	((mobile mobility wireless move moving moved roam\$4 migrat\$4 reconnect\$4) and (port interface adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:38
S26 0	9	S252 and S259	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 12:00
S26 1	62	arp same mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 11:44
S26 2	12	S261 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 12:07
S26 3	4	S262 and S259	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 12:00
S26 4	3	((move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment area cell lan domain) and (port interface adapter)) same S251	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 12:06
S26 5	311	((move moving moved roam\$4 migrat\$4 reconnect\$4) adj2 (network domain subnet\$4 segment area cell lan domain) same (port interface adapter) same (list listing listed map\$4 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 13:10
S26 6	119	S265 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 13:12
S26 7	33	("4821265" "4893302" "5138615" "5394402" "5418779" "5420862" "5548585" "5633869" "5673263" "5754547" "5835720" "5910955" "5968126" "5982773" "5999536").PN. OR ("6115385").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/19 12:49

EAST Search History

S269	2356	((move moving moved roam\$4 migrat\$4 reconnect\$4) same (network domain subnet\$4 segment area cell lan domain) same (port (interface not (user adj interface)) adapter) same (list listing listed map\$4 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 14:24
S270	837	S269 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 14:26
S281	387	((move moving moved roam\$4 migrat\$4 reconnect\$4) same (network domain subnet\$4 segment area cell lan domain) same (port (interface not (user adj interface)) adapter) same (list listing listed map\$4 table) same ((ad adj hoc) heterogenous different))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 14:26
S282	78	S281 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/19 14:26
S283	1	(move moving moved roam\$4 migrat\$4 reconnect\$4) AND "5412654".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:53
S284	1	(network domain subnet\$4 segment area cell lan domain (ad adj hoc) heterogenous different) AND S283	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:49
S285	1	(port interface address) AND S283	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:28
S286	6467	(port interface address) same (link adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:28
S287	1173	(port interface) same address same (link adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:29
S288	157	port same interface same address same (link adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:29
S289	741015	(move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:17

EAST Search History

S29 1	10221	((interface socket port or link-layer or network) adj2 (ID identifier address)) with (table database map list listing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:08
S29 2	122	S289 same S291	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 06:44
S29 3	30	S292 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:10
S29 4	20	((interface socket port or link-layer or network) adj2 (ID identifier address)) with (table database map list listing) with (("same" or default) adj (server service router switch gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:12
S29 5	2	S294 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:13
S29 6	0	((interface socket port or link-layer or network) adj2 (ID identifier address)) with (table database map\$4 list listing) with (("same" or default) adj (provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:12
S29 7	57	((interface socket port or link-layer or network) adj2 (ID identifier address)) same (table database map list listing) with (("same" or default) adj (provider server service router switch gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:12
S29 8	7	S297 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:18
S29 9	137	(neighbor adj2 (list listing listed map table database)) same (move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:22
S30 0	54	S299 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:22
S30 1	4	(neighbor adj2 (list listing listed map table database)) same (port interface address) same (move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:24

EAST Search History

S30 2	1	S301 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:25
S30 3	0	((default neighbor) adj2 (list listing listed map\$4 table database)) same (port interface) same (id identifier address) same (move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:24
S30 4	87	(default neighbor) same (port interface) same (id identifier address) same (move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:36
S30 5	14	S304 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:37
S30 6	52	((multiple plurality group set) adj2 (port interface)) same (id identifier address) same (move moving moved roam\$4 migrat\$4 reconnect\$4) same (region domain subnet\$4 segment area cell ((different heterogenous disjoint adjacent) adj networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 07:36
S30 7	17	S306 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:09
S30 8	799741	((move moving moved roam\$4 migrat\$4 reconnect\$4) AND (network domain subnet\$4 segment area cell lan domain (ad adj hoc) heterogenous different) and (destination target port interface hardware mac)) "5412654".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:38
S32 0	49	((link adj layer adj address) with mac) with (port interface adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:44
S32 1	1	S320 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:45
S32 2	71	((link adj layer adj address) SAME mac) SAME (port interface adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:45

EAST Search History

S32 3	5	S322 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:45
S32 4	2	(move moving moved roam\$4 migrat\$4 reconnect\$4) AND S323	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:19
S32 5	1	(network domain subnet\$4 segment area cell lan domain (ad adj hoc) heterogenous different port interface mac address destination target) AND S283	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:51
S32 6	2	((("6307843") or ("5412654"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/02/20 08:51
S32 7	2	(network domain subnet\$4 segment area cell lan domain (ad adj hoc) heterogenous different port interface mac address destination target) AND S326	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 08:51
S32 8	2	(move moving moved roam\$4 migrat\$4 reconnect\$4) AND S326	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:31
S32 9	568	(routing adj protocol) and table and (target destination) and (source transmitter) and cost and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:09
S33 0	30	(routing adj protocol) and table and (target destination) and (source transmitter) and cost and metric and roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:11
S33 1	4	S330 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:12
S33 2	94	(routing adj protocol) and table and (target destination) and (source transmitter) and cost and metric and mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:12
S33 3	46	(routing adj protocol) and table and (target destination) and (source transmitter) and cost and metric and mobility and S289	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:12

EAST Search History

S33 4	0	S333 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:07
S33 5	180	((routing adj protocol) and table and (target destination) and (source transmitter) and cost and metric and S289	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:34
S33 6	23	S335 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:13
S33 7	2	((list\$4 table) and (source target destination transmitter) and (address link path)) and "5412654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 09:47
S33 8	1	((list\$4 table) and (source target destination transmitter) and (address link path)) and "5412654".pn.	USPAT; JPO	OR	ON	2006/02/20 10:23
S33 9	1	((list\$4 table) and (source target destination transmitter) and (address link path router node)) and "5412654".pn.	USPAT; JPO	OR	ON	2006/02/20 11:00
S34 0	1	(choos\$4 select\$4) and "5412654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:37
S34 1	30	((border edge) adj (gateway router switch)) same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:07
S34 2	3	S341 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:10
S34 3	47	((link adj layer) with table and roaming	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:10
S34 4	10	S343 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:17
S34 5	61	((network adj segment) same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:17

EAST Search History

S34 6	3	S345 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:19
S34 7	204	(move moving moved roam\$4 migrat\$4 reconnect\$4) same (network adj segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:19
S34 8	52	S347 and @ad<="19981009"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:19
S34 9	1	(move moving moved roam\$4 migrat\$4 reconnect\$4) AND "6307843".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:32
S35 0	1	(move moving moved roam\$4 migrat\$4 reconnect\$4) AND "5530963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:37
S35 1	2	(router switch bridge hub) AND "5530963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:39
S35 2	1	(router switch bridge hub) AND "5412654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 11:50
S35 3	1	(adapter interface hardware) AND "5412654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/20 12:05